# NSN 5945-01-044-4133

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-044-4133

# **Overall Length:**

Between 0.777 inches and 0.797 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.042 inches single mounting facility and 1.062 inches single mounting facility

# **Overall Height:**

Between 1.167 inches and 1.187 inches

#### Overall Width:

Between 0.339 inches and 0.359 inches

#### **Environmental Protection:**

Humidity proof and salt spray resistant and shock resistant and vibration resistant

#### **Unthreaded Mounting Hole Diameter:**

0.115 inches single mounting facility and 0.125 inches single mounting facility

#### **Fragility Factor:**

Moderately rugged

# Winding Quantity:

# **Purpose For Which Designed:**

General

# **Coil Quantity:**

# Winding Dc Resistance Rating:

8.3 kilohms single winding and 12.4 kilohms single winding

#### **Duty Type:**

Continuous

# **Mounting Facility Type And Quantity:**

2 unthreaded hole single mounting facility

# Storage Type:

General purpose warehouse

# **Cubic Measure:**

0.340 cubic inches

# **Mounting Facility Pattern:**

In-line single mounting facility

# **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

# **Operating Voltage Rating And Type At Specificationified Temp:**

88.2 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

26.5 dc

#### **Terminal Type And Quantity:**

8 wire hook all functions

# NSN 5945-01-044-4133

Electromagnetic Relay - Page 2 of 2



-			 
٠.	hΔ	Iŧ.	ife:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300