## NSN 5945-01-047-5246

Electromagnetic Relay - Page 1 of 2

120.0 volts ac 25 degrees celsius single winding



View Online at https://aerobasegroup.com/nsn/5945-01-047-5246

Overall Length:
2.906 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.500 inches single mounting facility
Overall Height:
1.375 inches
Overall Width:
1.500 inches
Mounting Slot Width:
0.078 inches single mounting facility
Case Material:
Metal
Environmental Protection:
Dustproof
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 slotted hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
5.993 cubic inches
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
12.00 seconds adjustable operate time and 120.00 seconds adjustable operate time
Operating Voltage Rating And Type At Specificationified Temp:

## NSN 5945-01-047-5246

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

120.0 ac and 28.0 dc

**Terminal Type And Quantity:** 

8 tab, solder lug all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300