# NSN 5945-01-047-5246

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-047-5246

# Overall Length: 2.906 inches Center To Center 2.500 inches singl

# Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility

## **Overall Height:**

1.375 inches

### **Overall Width:**

1.500 inches

#### Mounting Slot Width:

0.078 inches single mounting facility

### Case Material:

Metal

**Environmental Protection:** 

#### Dustproof

Fragility Factor:

### Moderately rugged

## Frequency In Hertz:

60.0

### Winding Quantity:

1

## **Purpose For Which Designed:**

General

#### **Coil Quantity:**

1

## Duty Type:

Continuous

# Arc Quenching Method:

Air

# Mounting Facility Type And Quantity:

2 slotted hole single mounting facility

## Storage Type:

General purpose warehouse

## Cubic Measure:

5.993 cubic inches

# Mounting Facility Pattern:

In-line single mounting facility

## Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

## Time Delay:

12.00 seconds adjustable operate time and 120.00 seconds adjustable operate time

# Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

# NSN 5945-01-047-5246

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 28.0 dc

## Terminal Type And Quantity:

8 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300