

View Online at <https://aerobasegroup.com/nsn/5945-01-049-5271>

**Thread Class:**

2b single mounting facility

**Thread Direction:**

Right-hand single mounting facility

**Overall Length:**

Between 1.600 inches and 1.660 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.375 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.375 inches single mounting facility

**Overall Height:**

1.218 inches

**Overall Width:**

0.750 inches

**Case Material:**

Plastic

**Fragility Factor:**

Moderately rugged

**Contact Material:**

Silver

**Winding Quantity:**

1

**Purpose For Which Designed:**

General

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

365.0 ohms single winding

**Duty Type:**

Continuous

**Arc Quenching Method:**

Air

**Mounting Facility Type And Quantity:**

4 threaded hole single mounting facility

**Pile-up Main Contact Form Arrangement:**

2c

**Storage Type:**

General purpose warehouse

**Features Provided:**

Polarized and coil voltage suppression

**Cubic Measure:**

1.516 cubic inches

**Thready Qty Per Inch (tpi):**

48 single mounting facility

**Thread Size:**

0.099 inches single mounting facility

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:**

24.0 volts ac 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

5.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:**

120.0 ac

**Precious Material And Location:**

Contacts silver

**Precious Material:**

Silver

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

8 tab, solder lug all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300