NSN 5945-01-058-1568

Reed Relay - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5945-01-058-1568 **Overall Length:** 1.125 inches **Overall Height:** 0.475 inches **Overall Width:** 0.550 inches **Environmental Protection:** Dustproof **End Application:** Spruance class dd (963), forrestal class cv, nimitz class cvn, sturgeon class ssn (637), ticonderoga class cg (47), virginia class cgn (41), los angeles class ssn (688), kidd class ddg. Landing craft air cushion (lcac). Winding Quantity: 1 **Coil Quantity:** Winding Dc Resistance Rating: 200.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 1 terminal single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary **Criticality Code Justification:** Feat **Operating Voltage Rating And Type At Specificationified Temp:** 5.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 500.0 milliamperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 28.0 dc **Special Features:** Weapon system essential **Terminal Type And Quantity:** 8 pin all functions Shelf Life: N/a **Unit Of Measure:**

Fiig: A03300

No

Demilitarization: