## NSN 5945-01-064-6184

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-064-6184

·
Overall Length:
2.167 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.844 inches single mounting facility
Overall Height:
2.156 inches
Overall Width:
0.687 inches
Unthreaded Mounting Hole Diameter:
0.147 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Current Rating And Type:
210.0 milliamperes dc single winding
Time Delay:
0.02 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
12.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
5.0 amperes ac resistive load and 5.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Precious Material And Location:
Terminal surface gold
Precious Material:
Gold
Terminal Type And Quantity:
6 pin all functions
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5945-01-064-6184

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300