## NSN 5945-01-067-0799

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-067-0799 **Overall Length:** 0.280 inches **Overall Diameter:** 0.335 inches **Case Material:** Metal **Environmental Protection:** Hermetic **Fragility Factor:** Moderately rugged Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 61.0 ohms all windings **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 

1 terminal single mounting facility

Storage Type:

General purpose warehouse

**Nonpile-up Main Contact Arrangement:** 

1 pole, double throw, one position momentary

Time Delay:

0.0015 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

5.0 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 milliamperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

**Test Data Document:** 

81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:** 

7 wire lead all functions

**Specification Data:** 

81349-mil-r-39016/8 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 5945-01-067-0799

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300