NSN 5945-01-074-1965

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-074-1965

Thread Class:
2b single mounting facility
Overall Length:
4.218 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.500 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.750 inches single mounting facility
Overall Height:
2.830 inches
Overall Width:
2.500 inches
Environmental Protection:
Dustproof
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 threaded hole single mounting facility
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.164 inches single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.20 seconds fixed operate and release time and 5.00 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.5 amperes ac resistive load and 1.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
480.0 ac and 110.0 dc
Energizing Element Power Rating:
8.0 watts

Precious Material And Location:

Contacts gold and contacts silver

NSN 5945-01-074-1965

Electromagnetic Relay - Page 2 of 2



Precious Material:
Gold and silver

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300