NSN 5945-01-075-2715

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-075-2715

Overall Length:

2.310 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.875 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.875 inches single mounting facility

Overall Height:

2.580 inches

Overall Width:

2.310 inches

Unthreaded Mounting Hole Diameter:

0.171 inches single mounting facility

Winding Quantity:

4

Coil Quantity:

1

Winding Dc Resistance Rating:

90.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Features Provided:

Polarized

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, single throw, normally open, momentary action

Time Delay:

0.035 seconds fixed operate time

Nonpile-up Auxiliary Contact Arrangement:

1 pole, single throw, normally open, momentary action

Auxiliary Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

7.5 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

440.0 ac

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

NSN 5945-01-075-2715

Electromagnetic Relay - Page 2 of 2



Terminal Type A	and Quantity	/ :
-----------------	--------------	------------

10 threaded stud all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300