

View Online at <https://aerobasegroup.com/nsn/5945-01-075-5403>

**Thread Class:**

2a single mounting facility

**Overall Length:**

3.000 inches

**Overall Diameter:**

1.060 inches

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

265.0 ohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

1 threaded bushing single mounting facility

**Thready Qty Per Inch (tpi):**

32 single mounting facility

**Thread Size:**

0.812 inches single mounting facility

**Nonpile-up Main Contact Arrangement:**

1 pole, double throw, one position momentary

**Time Delay:**

0.018 seconds fixed operate time

**Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

15.0 amperes ac resistive load and 15.0 amperes dc resistive load

**Test Data Document:**

81349-mil-r-83725 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Un single mounting facility

**Terminal Type And Quantity:**

5 tab, solder lug all functions

**Specification Data:**

81349-mil-r-83725/1 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300