# NSN 5945-01-075-5403



Electromagnetic Relay - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5945-01-075-5403 **Thread Class:** 2a single mounting facility **Overall Length:** 3.000 inches **Overall Diameter:** 1.060 inches Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 265.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 1 threaded bushing single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.812 inches single mounting facility **Nonpile-up Main Contact Arrangement:** 1 pole, double throw, one position momentary Time Delay: 0.018 seconds fixed operate time Operating Voltage Rating And Type At Specificationified Temp: 26.5 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 15.0 amperes ac resistive load and 15.0 amperes dc resistive load **Test Data Document:** 81349-mil-r-83725 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Thread Series Designator:**

Un single mounting facility

#### **Terminal Type And Quantity:**

5 tab, solder lug all functions

## **Specification Data:**

81349-mil-r-83725/1 government specification

### Shelf Life:

N/a

#### **Unit Of Measure:**

#### **Demilitarization:**

No

# NSN 5945-01-075-5403

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300