## NSN 5945-01-079-0345

Reed Relay - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5945-01-079-0345
Overall Length:
2.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.759 inches single mounting facility
Overall Height:
0.563 inches
Overall Width:
0.453 inches
Mounting Slot Width:
0.098 inches single mounting facility
Environmental Protection:
Dustproof
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
4.0 kilohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 slotted hole single mounting facility
Features Provided:
Polarized
Mounting Facility Pattern:
Two position in-line single mounting facility
Nonpile-up Main Contact Arrangement:
1 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
250.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
28.0 dc
Precious Material And Location:
Contact surface gold
Precious Material:
Gold
Terminal Type And Quantity:
5 printed circuit all functions
Shelf Life:

N/a

## NSN 5945-01-079-0345

Reed Relay - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A03300