# NSN 5945-01-079-7018

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-079-7018

# **Overall Length:**

3.375 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.187 inches single mounting facility

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.250 inches single mounting facility

## **Overall Height:**

2.593 inches

**Overall Width:** 

2.375 inches

## Mounting Slot Width:

0.218 inches single mounting facility

#### **Case Material:**

Metal

## **Environmental Protection:**

Dustproof

## Fragility Factor:

Moderately rugged

# Frequency In Hertz:

60.0

## Winding Quantity:

1

## **Purpose For Which Designed:**

General

## **Coil Quantity:**

1

## Duty Type:

Continuous

Arc Quenching Method:

Air

## Mounting Facility Type And Quantity:

4 slotted hole single mounting facility

## Storage Type:

General purpose warehouse

#### Cubic Measure:

20.784 cubic inches

## Mounting Facility Pattern:

Rectangular single mounting facility

## Nonpile-up Main Contact Arrangement:

3 pole, single throw, normally open, momentary action

# Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts ac 25 degrees celsius single winding

# NSN 5945-01-079-7018

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

25.0 amperes ac resistive load

## Main Contact Maximum Voltage Rating In Volts:

600.0 ac

## Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

## Fiig:

A03300