NSN 5945-01-083-1007

Electrical Solenoid - Page 1 of 2

Between 1.195 inches and 1.205 inches

Body Style:Cylindrical frame



View Online at https://aerobasegroup.com/nsn/5945-01-083-1007

Center To Center Distance Between Mounting Facilities Parallel To Length:

| Center To Center Distance Between Mounting Facilities Parallel To Width: |
|--|
| Between 0.965 inches and 0.975 inches |
| Case Material: |
| Metal |
| Case Surface Treatment: |
| Any acceptable |
| Unthreaded Mounting Hole Diameter: |
| Between 0.146 inches and 0.152 inches |
| Maximum Operating Temp: |
| 200.0 degrees fahrenheit |
| Mounting Base Length: |
| 1.480 inches |
| Mounting Base Width: |
| 1.240 inches |
| Actuator Length: |
| 0.250 inches |
| Actuator Diameter: |
| 0.300 inches |
| Inclosure Type: |
| Fully enclosed |
| Magnetic Coil Quantity: |
| 2 |
| Duty Type: |
| Continuous |
| Terminal Location: |
| End opposite actuator |
| Voltage Rating In Volts: |
| Between 16.0 dc and 30.0 dc |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Actuator Stroke Type: |
| Pull |
| Linear Force Delivered: |
| 3.00 pounds |
| Power Takeoff Connection Type: |
| Notched |
| Energizing Stroke Maximum Length: |
| 0.055 inches |

NSN 5945-01-083-1007

Electrical Solenoid - Page 2 of 2



| Mounting Facility Patterr | Μοι | ınting | Facility | Pattern |
|---------------------------|-----|--------|----------|---------|
|---------------------------|-----|--------|----------|---------|

Four position rectangular

Terminal Type And Quantity:

1 connector, receptacle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0