## NSN 5945-01-084-2520



Electromagnetic Relay - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5945-01-084-2520 **Overall Length:** 0.375 inches **Overall Diameter:** 0.370 inches **Case Material:** Metal **Environmental Protection:** Hermetic **Fragility Factor:** Moderately rugged Winding Quantity: **Purpose For Which Designed:** General **Coil Quantity:** Winding Dc Resistance Rating: 3.3 kilohms single winding **Duty Type:** Continuous **Arc Quenching Method:** Air **Mounting Facility Type And Quantity:** 1 terminal single mounting facility Storage Type: General purpose warehouse **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Time Delay: 0.004 seconds fixed operate time **Operating Voltage Rating And Type At Specificationified Temp:** 26.5 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 2.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 28.0 dc **Energizing Element Power Rating:** 60.0 milliwatts **Terminal Type And Quantity:** 

8 wire lead all functions

Shelf Life:

N/a

## NSN 5945-01-084-2520

Electromagnetic Relay - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A03300