# NSN 5945-01-086-4947

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-086-4947

# **Overall Length:**

Between 1.735 inches and 1.765 inches

#### **Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.356 inches single mounting facility and 1.484 inches single mounting facility

# **Overall Height:**

Between 1.208 inches and 1.238 inches

#### Overall Width:

Between 0.505 inches and 0.525 inches

#### **Mounting Slot Width:**

0.139 inches single mounting facility and 0.149 inches single mounting facility

#### **Environmental Protection:**

Hermetic

#### **Fragility Factor:**

Moderately rugged

#### Winding Quantity:

1

# **Purpose For Which Designed:**

General

# **Coil Quantity:**

-

# Winding Dc Resistance Rating:

290.0 ohms single winding and 310.0 ohms single winding

#### **Duty Type:**

Continuous

# **Mounting Facility Type And Quantity:**

2 slotted hole single mounting facility

# Storage Type:

General purpose warehouse

# Mounting Facility Pattern:

In-line single mounting facility

# Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

# Time Delay:

0.01 seconds fixed operate and release time

# **Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

# **Main Contact Maximum Voltage Rating In Volts:**

115.0 ac and 28.0 dc

### **Terminal Type And Quantity:**

8 pin all functions

# NSN 5945-01-086-4947

Electromagnetic Relay - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300