NSN 5945-01-105-4510

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-105-4510 **Overall Length:** 0.335 inches **Overall Height:** 0.225 inches Overall Width: 0.370 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 880.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 8 terminal single mounting facility **Features Provided:** Coil voltage suppression **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary **Operating Current Rating And Type:** 22.1 milliamperes dc single winding **Nonpile-up Auxiliary Contact Arrangement:** 2 pole, double throw, one position momentary Operating Voltage Rating And Type At Specificationified Temp: 18.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 1.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 28.0 dc **Test Data Document:** 81349-mil-39016/19 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 8 wire lead all functions Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

NSN 5945-01-105-4510

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300