## NSN 5945-01-105-8895

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-105-8895

**Overall Length:** 2.400 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.375 inches single mounting facility **Center To Center Distance Between Mounting Facilities Parallel To Width:** 2.000 inches single mounting facility **Overall Height:** 3.032 inches **Overall Width: 2.313 inches Environmental Protection:** Hermetic **Unthreaded Mounting Hole Diameter:** 0.148 inches single mounting facility Winding Quantity: **Coil Quantity: Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 unthreaded hole single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 3 pole, single throw, normally open, momentary action Time Delay: 0.025 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

20.0 amperes ac lamp load

**Main Contact Maximum Voltage Rating In Volts:** 

115.0 ac

**Test Data Document:** 

81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:** 

2 screw energizing element

**Specification Data:** 

81349-mil-r-6106/10 government specification

Shelf Life:

N/a

## NSN 5945-01-105-8895

Electromagnetic Relay - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A03300