NSN 5945-01-106-4510

Electromagnetic Relay - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5945-01-106-4510
Overall Length:
0.930 inches
Overall Height:
0.820 inches
Overall Width:
0.810 inches
Environmental Protection:
Hermetic
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
400.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 track single mounting facility
Features Provided:
Coil voltage suppression and polarized
Nonpile-up Main Contact Arrangement:
3 pole, double throw, one position momentary
Time Delay:
0.006 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
28.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes ac lamp load and 2.0 amperes dc lamp load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Precious Material And Location:
Terminal surface gold
Precious Material:
Gold
Test Data Document:
81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
11 pin all functions

N/a

Shelf Life:

Specification Data:

81349-mil-r-6106/24 government specification

NSN 5945-01-106-4510

Electromagnetic Relay - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A03300