NSN 5945-01-106-6981

Electromagnetic Relay - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5945-01-106-6981

| Overall Length: |
|------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.320 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.078 inches single mounting facility |
| Overall Height: |
| 0.410 inches |
| Overall Width: |
| 0.410 inches |
| Mounting Slot Width: |
| 0.120 inches single mounting facility |
| Coil Quantity: |
| 1 |
| Winding Dc Resistance Rating: |
| 40.0 ohms all windings |
| Mounting Facility Type And Quantity: |
| 2 slotted hole single mounting facility |
| Mounting Facility Pattern: |
| In-line single mounting facility |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 7.5 volts dc 25 degrees celsius all windings |
| Main Contact Load Current Rating At Maximum Rated Voltage: |
| 2.0 amperes dc resistive load |
| Main Contact Maximum Voltage Rating In Volts: |
| 28.0 dc |
| Test Data Document: |
| 81349-mil-r-39016/6 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Terminal Type And Quantity: |
| 8 printed circuit all functions |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A03300 |
| |