

View Online at <https://aerobasegroup.com/nsn/5945-01-107-5134>

Overall Length:

2.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.090 inches single mounting facility

Overall Height:

0.880 inches

Overall Width:

1.590 inches

Case Material:

Steel, corrosion resisting

Environmental Protection:

Vibration resistant and shock resistant and humidity resistant and salt spray resistant and hermetic

Unthreaded Mounting Hole Diameter:

0.159 inches single mounting facility

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

3 unthreaded hole single mounting facility

Mounting Facility Pattern:

Triangle single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

Time Delay:

10.00 seconds fixed operate time

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.750 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

32.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

32.0 dc

Energizing Element Power Rating:

4.0 watts

Terminal Type And Quantity:

5 wire hook energizing element and contacts

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300