

View Online at <https://aerobasegroup.com/nsn/5945-01-119-8036>

**Thread Class:**

2a single mounting facility

**Overall Length:**

1.660 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.937 inches single mounting facility

**Overall Height:**

1.410 inches

**Overall Width:**

0.880 inches

**Environmental Protection:**

Dustproof

**Contact Material:**

Silver

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

5.0 kilohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

3 threaded stud single mounting facility

**Pile-up Main Contact Form Arrangement:**

1f

**Thready Qty Per Inch (tpi):**

32 single mounting facility

**Thread Size:**

0.138 inches single mounting facility

**Mounting Facility Pattern:**

Triangle single mounting facility

**Time Delay:**

0.025 seconds fixed operate time

**Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:**

1.187 inches single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:**

110.0 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

60.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

28.0 dc

**Precious Material And Location:**

Contacts silver

**Precious Material:**

Silver

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

5 tab, solder lug all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300