NSN 5945-01-120-4405

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-120-4405

Overall Length:

1.813 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.562 inches single mounting facility

Overall Height:

2.000 inches

Overall Width:

1.266 inches

Case Material:

Steel, corrosion resisting

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.144 inches single mounting facility

Contact Material:

Silver

Contact Surface Treatment:

Gold

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

200.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

Operating Current Rating And Type:

132.0 milliamperes dc single winding

Time Delay:

0.01 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 29.0 dc

NSN 5945-01-120-4405

Electromagnetic Relay - Page 2 of 2



Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Gold and silver

Terminal Type And Quantity:

14 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300