NSN 5945-01-120-5142



Electromagnetic Relay - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5945-01-120-5142 **Thread Class:** 2a single mounting facility **Thread Direction:** Right-hand single mounting facility **Overall Length:** 1.500 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.375 inches single mounting facility **Overall Height:** 3.093 inches **Overall Width:** 1.500 inches **Environmental Protection:** Hermetic **Contact Material:** Silver Frequency In Hertz: 60.0 **Winding Quantity: Coil Quantity:** Winding Dc Resistance Rating: 2.5 kilohms single winding **Duty Type:** Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Diagonal single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

Operating Voltage Rating And Type At Specificationified Temp:

63.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load and 5.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 28.0 dc

NSN 5945-01-120-5142

Electromagnetic Relay - Page 2 of 2



Precious Material And Location:
Contacts silver
Precious Material And Weight:
0.500 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:
5 tab, solder lug all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A03300