NSN 5945-01-120-8774

Electromagnetic Relay - Page 1 of 2

1.375 inches single mounting facility

2.000 inches single mounting facility

Environmental Protection:

Unthreaded Mounting Hole Diameter: 0.148 inches single mounting facility

Overall Length: 2.400 inches

Overall Height: 3.032 inches Overall Width: 2.313 inches

Hermetic

Fragility Factor:



View Online at https://aerobasegroup.com/nsn/5945-01-120-8774

Center To Center Distance Between Mounting Facilities Parallel To Length:

Center To Center Distance Between Mounting Facilities Parallel To Width:

<u> </u>
Moderately rugged
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Coil voltage suppression and polarized
Cubic Measure:
16.831 cubic inches
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, single throw, normally open, momentary action
Time Delay:
0.025 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temps
28.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
20.0 amperes ac lamp load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac

NSN 5945-01-120-8774

Electromagnetic Relay - Page 2 of 2



Test Data Document:

81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

2 screw energizing element

Specification Data:

81349-mil-r-6106/10 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300