NSN 5945-01-122-1526

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-122-1526

1.719 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.437 inches single mounting facility

Overall Height:

1.750 inches

Overall Width:

1.188 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.156 inches single mounting facility

Winding Quantity:

4

Coil Quantity:

1

Winding Dc Resistance Rating:

300.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

Criticality Code Justification:

Zzzy

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 125 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

30.0 dc

Special Features:

Item must comply with requirements of defense supply center columbus production standard no. Lo3136

Terminal Type And Quantity:

14 tab, solder lug all functions

Reference Number Differentiating Characteristics:

Breference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp.

Shelf Life:

N/a

NSN 5945-01-122-1526

Electromagnetic Relay - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300