NSN 5945-01-124-9631

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-124-9631

Overall L	.ength:
-----------	---------

1.180 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.125 inches single mounting facility

Overall Height:

0.595 inches

Overall Width:

0.410 inches

Environmental Protection:

Dustproof

Unthreaded Mounting Hole Diameter:

0.096 inches single mounting facility

Contact Material:

Silver

Contact Surface Treatment:

Gold

Winding Quantity:

Coil Quantity:

.

Winding Dc Resistance Rating:

814.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Mounting Facility Pattern:

Diagonal single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

Precious Material And Location:

Contacts gold and internal surfaces silver

Precious Material:

Gold and silver

NSN 5945-01-124-9631

Electromagnetic Relay - Page 2 of 2



Terminal Type A	and Quantity	/ :
-----------------	--------------	------------

8 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300