

View Online at <https://aerobasegroup.com/nsn/5945-01-126-8204>

Overall Length:

3.125 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.750 inches single mounting facility

Overall Height:

3.250 inches

Overall Width:

1.031 inches

Environmental Protection:

Shock resistant and vibration resistant

Unthreaded Mounting Hole Diameter:

0.166 inches single mounting facility

Contact Material:

Silver

Contact Surface Treatment:

Gold and rhodium plated

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Pile-up Main Contact Form Arrangement:

36c

Mounting Facility Pattern:

Rectangular single mounting facility

Time Delay:

0.03 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

12.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

125.0 milliamperes ac resistive load and 1.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 28.0 dc

Precious Material And Location:

Contact surfaces gold and contacts and terminal surfaces silver and contact surfaces rhodium

Precious Material:

Gold and silver and rhodium

Terminal Type And Quantity:

101 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300