## NSN 5945-01-127-1559

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-127-1559

Thread	Class:
--------	--------

2a single mounting facility

**Thread Direction:** 

Right-hand single mounting facility

**Overall Length:** 

2.960 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.250 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

1.875 inches single mounting facility

**Overall Height:** 

3.250 inches

**Overall Width:** 

2.560 inches

**Environmental Protection:** 

Hermetic and shock resistant and vibration resistant

Frequency In Hertz:

60.0

**Winding Quantity:** 

**Coil Quantity:** 

**Duty Type:** 

Continuous

**Mounting Facility Type And Quantity:** 

4 threaded stud single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

**Thread Size:** 

0.138 inches single mounting facility

**Mounting Facility Pattern:** 

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:** 

3 pole, double throw, one position momentary

Time Delay:

2.00 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load

**Special Features:** 

Phase sensor

## NSN 5945-01-127-1559

Electromagnetic Relay - Page 2 of 2



Thread Series Designato	TI	nread	Series	Design	ator
-------------------------	----	-------	--------	--------	------

Unc single mounting facility

## **Terminal Type And Quantity:**

12 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A03300