NSN 5945-01-127-6004

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-127-6004

Thread Class:				
2a single mounting facility				
Thread Direction:				
Right-hand single mounting facility				
Overall Length:				
1.100 inches				
Center To Center Distance Between Mounting Facilities Parallel To Length:				
0.520 inches single mounting facility				
Overall Height:				
1.590 inches				
Overall Width:				
0.860 inches				
Contact Material:				
Silver				
Contact Surface Treatment:				
Cadmium plated and gold				
Frequency In Hertz:				
Between 50.0 and 60.0				
Winding Quantity:				
1				
Coil Quantity:				
1				
Duty Type:				
Continuous				
Mounting Facility Type And Quantity:				
2 threaded stud single mounting facility				
Thready Qty Per Inch (tpi):				
48 single mounting facility				
Thread Size:				
0.099 inches single mounting facility				
Mounting Facility Pattern:				
In-line single mounting facility				
Nonpile-up Main Contact Arrangement:				
4 pole, double throw, one position momentary				
Operating Voltage Rating And Type At Specificationified Temp:				
120.0 volts ac 25 degrees celsius single winding				
Main Contact Load Current Rating At Maximum Rated Voltage:				
5.0 amperes ac resistive load and 5.0 amperes dc resistive load				

240.0 ac and 28.0 dc

Precious Material And Location:

Contact surfaces gold and contacts silver

Main Contact Maximum Voltage Rating In Volts:

NSN 5945-01-127-6004

Electromagnetic Relay - Page 2 of 2



Preci		

Gold and silver

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

14 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300