NSN 5945-01-129-5680

Electromagnetic Relay - Page 1 of 2

Overall Length: 0.800 inches



View Online at https://aerobasegroup.com/nsn/5945-01-129-5680

Overall Height:
0.900 inches
Overall Width:
0.400 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
540.0 ohms single winding and 770.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
1 plug-in terminal single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
0.288 cubic inches

2 pole, double throw, one position momentary

Nonpile-up Main Contact Arrangement:

Time Delay:

0.006 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 milliamperes ac lamp load and 100.0 milliamperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Test Data Document:

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5945-01-129-5680

Electromagnetic Relay - Page 2 of 2



Terminal Type And Quantity:
8 pin all functions
Specification Data:
81349-mil-r-5757/10 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig:

ı ııg.

A03300