NSN 5945-01-131-7168

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-131-7168

| Overall Length: |
|---|
| 0.370 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 0.100 inches single mounting facility |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 0.100 inches single mounting facility |
| Overall Height: |
| 0.462 inches |
| Overall Width: |
| 0.370 inches |
| Environmental Protection: |
| Salt spray resistant and shock resistant |
| Winding Quantity: |
| 1 |
| Coil Quantity: |
| 1 |
| Duty Type: |
| Intermittent |
| Mounting Facility Type And Quantity: |
| 8 plug-in terminal single mounting facility |
| Pile-up Main Contact Form Arrangement: |
| 2c |
| Features Provided: |
| Arc quenching |
| Time Delay: |
| 0.004 seconds fixed release time |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 5.0 volts dc 25 degrees celsius single winding |
| Main Contact Load Current Rating At Maximum Rated Voltage: |
| 1.0 amperes dc resistive load |
| Main Contact Maximum Voltage Rating In Volts: |
| 28.0 dc |
| Terminal Type And Quantity: |
| 8 pin all functions |
| Specification Data: |
| 81349-mil-r-0039016/18 government specification |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

NSN 5945-01-131-7168

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300