NSN 5945-01-138-5529

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-138-5529

Overall	Length:
---------	---------

4.100 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.312 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.750 inches single mounting facility

Overall Height:

4.400 inches

Overall Width:

3.380 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.204 inches single mounting facility and 0.219 inches single mounting facility

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Features Provided:

Coil voltage suppression and polarized

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

Operating Current Rating And Type:

2.5 amperes dc single winding

Time Delay:

0.090 seconds fixed operate time

Nonpile-up Auxiliary Contact Arrangement:

4 pole, double throw, one position momentary

Auxiliary Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

32.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

120.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

200.0 ac

NSN 5945-01-138-5529

Electromagnetic Relay - Page 2 of 2



Terminal Type A	and Quantity	/ :
-----------------	--------------	------------

23 threaded stud all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300