NSN 5945-01-144-1233

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-144-1233

Overall Length:

3.190 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.125 inches single mounting facility

Overall Height:

2.510 inches

Overall Width:

2.780 inches

Unthreaded Mounting Hole Diameter:

0.201 inches single mounting facility

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Features Provided:

Polarized

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Nonpile-up Auxiliary Contact Arrangement:

1 pole, double throw, one position momentary

Auxiliary Contact Maximum Voltage Rating In Volts:

28.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

30.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes dc resistive load

Terminal Type And Quantity:

11 threaded stud all functions

Shelf Life:

N/a

NSN 5945-01-144-1233

Electromagnetic Relay - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300