

View Online at <https://aerobasegroup.com/nsn/5945-01-146-9119>

**Thread Class:**

2a power takeoff facility stud

**Thread Direction:**

Right-hand power takeoff facility stud

**Body Style:**

Cylindrical frame

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.870 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.310 inches

**Body Diameter:**

2.500 inches

**Mounting Slot Width:**

0.312 inches

**Body Length:**

4.470 inches

**Case Material:**

Metal

**Case Surface Treatment:**

Any acceptable

**Environmental Protection:**

Dustproof

**Maximum Operating Temp:**

73.0 degrees fahrenheit

**Mounting Base Width:**

4.120 inches

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

1

**Duty Type:**

Continuous

**Terminal Location:**

Circumference

**Voltage Rating In Volts:**

12.0 dc

**Mounting Facility Type And Quantity:**

4 slot

**Thready Qty Per Inch (tpi):**

18 power takeoff facility stud

**Actuator Stroke Type:**

Pull

**Linear Force Delivered:**

16.00 pounds

**Power Takeoff Connection Type:**

External threads

**Energizing Stroke Maximum Length:**

1.500 inches

**Thread Size:**

1.312 inches power takeoff facility stud

**Mounting Facility Pattern:**

Four position rectangular

**Thread Series Designator:**

Unef power takeoff facility stud

**Terminal Type And Quantity:**

2 screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A134a0