## NSN 5945-01-147-8070

Electromagnetic Relay - Page 1 of 2

2.000 inches second mounting facility

**Terminal Type And Quantity:** 

8 screw all functions

Overall Length: 6.531 inches

**Overall Height:** 



View Online at https://aerobasegroup.com/nsn/5945-01-147-8070

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.281 inches					
Overall Width:					
4.344 inches					
Mounting Slot Width:					
0.219 inches second mounting facility					
Unthreaded Mounting Hole Diameter:					
0.219 inches first mounting facility					
Frequency In Hertz:					
60.0					
Winding Quantity:					
1					
Coil Quantity:					
1					
Duty Type:					
Continuous					
Mounting Facility Type And Quantity:					
2 slotted hole second mounting facility					
Mounting Facility Pattern:					
In-line second mounting facility					
Nonpile-up Main Contact Arrangement:					
2 pole, single throw, normally open, momentary action					
Operating Current Rating And Type:					
600.0 milliamperes ac single winding					
Nonpile-up Auxiliary Contact Arrangement:					
1 pole, single throw, normally closed, double break, momentary action					
Auxiliary Contact Maximum Voltage Rating In Volts:					
600.0 ac					
Operating Voltage Rating And Type At Specificationified Temp:					
70.0 volts ac 25 degrees celsius single winding					
Main Contact Load Current Rating At Maximum Rated Voltage:					
15.0 amperes ac resistive load					
Main Contact Maximum Voltage Rating In Volts:					
600.0 ac					
Auxiliary Contact Load Current Rating At Maximum Rated Voltage:					
5.0 amperes ac resistive load					

## NSN 5945-01-147-8070

Electromagnetic Relay - Page 2 of 2



-			 
٠.	hΔ	Iŧ.	ife:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300