## NSN 5945-01-148-3181

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-148-3181

| •   |
|---|
| Overall Length:   |
| 3.438 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.125 inches single mounting facility                                     |
| Overall Height:   |
| 3.563 inches  |
| Overall Width:  |
| 2.875 inches  |
| Mounting Slot Width:  |
| 0.164 inches single mounting facility                                     |
| Case Material:  |
| Plastic   |
| Fragility Factor:   |
| Moderately rugged   |
| Winding Quantity:   |
| 1   |
| Purpose For Which Designed:   |
| General   |
| Coil Quantity:  |
| 1   |
| Duty Type:  |
| Continuous  |
| Arc Quenching Method:   |
| Air   |
| Mounting Facility Type And Quantity:                                      |
| 2 slotted hole single mounting facility                                   |
| Storage Type:   |
| General purpose warehouse   |
| Cubic Measure:  |
| 35.218 cubic inches   |
| Mounting Facility Pattern:  |
| In-line single mounting facility  |
| Nonpile-up Main Contact Arrangement:                                      |
| 2 pole, single throw, normally open, momentary action                     |
| Operating Voltage Rating And Type At Specificationified Temp:             |
| 120.0 volts ac 25 degrees celsius single winding                          |
| Main Contact Load Current Rating At Maximum Rated Voltage:                |
| 10.0 amperes ac resistive load  |
| Main Contact Maximum Voltage Rating In Volts:                             |
| 300.0 ac  |
| Terminal Type And Quantity:   |

6 screw all functions

## NSN 5945-01-148-3181

Electromagnetic Relay - Page 2 of 2



| _ |   |    | • |    |    |
|---|---|----|---|----|----|
| • | n | ο. | • | 18 | e: |
|   |   |    |   |    |    |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300