## NSN 5945-01-153-7499

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-153-7499
Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
2.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.625 inches single mounting facility
Overall Height:
1.375 inches
Overall Width:
1.250 inches
Environmental Protection:
Hermetic and shock resistant and vibration resistant
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
3 threaded stud single mounting facility
Cubic Measure:
3.437 cubic inches
Thready Qty Per Inch (tpi):
40 single mounting facility
Thread Size:
0.112 inches single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Time Delay:
5.00 seconds fixed operate time
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
1.250 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
31.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
4.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:

30.0 dc

## NSN 5945-01-153-7499

Electromagnetic Relay - Page 2 of 2



T	'nr	ead	<b>Series</b>	Design	ator

Unc single mounting facility

## **Terminal Type And Quantity:**

14 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300