NSN 5945-01-155-5532

Electromagnetic Relay - Page 1 of 2

1.437 inches single mounting facility

Unthreaded Mounting Hole Diameter:

Environmental Protection:

Overall Length: 1.719 inches

Overall Height: 1.812 inches Overall Width: 1.188 inches

Hermetic



View Online at https://aerobasegroup.com/nsn/5945-01-155-5532

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.156 inches single mounting facility			
Contact Material:			
Silver			
Contact Surface Treatment:			
Gold			
Winding Quantity:			
1			
Coil Quantity:			
1			
Winding Dc Resistance Rating:			
75.0 ohms single winding			
Duty Type:			
Continuous			
Mounting Facility Type And Quantity:			
2 unthreaded hole single mounting facility			
Mounting Facility Pattern:			
In-line single mounting facility			
Nonpile-up Main Contact Arrangement:			
4 pole, double throw, one position momentary			
Operating Current Rating And Type:			
172.0 milliamperes dc single winding			
Time Delay:			
0.012 seconds fixed operate time			
Operating Voltage Rating And Type At Specificationified Temp:			
19.5 volts dc 25 degrees celsius single winding			
Main Contact Load Current Rating At Maximum Rated Voltage:			
1.5 amperes ac resistive load and 3.0 amperes dc resistive load			
Main Contact Maximum Voltage Rating In Volts:			
115.0 ac and 30.0 dc			
Precious Material And Location:			
Contacts silver and contact surfaces gold			

NSN 5945-01-155-5532

Electromagnetic Relay - Page 2 of 2



_			
u	racialie	Material	•

Silver and gold

Terminal Type And Quantity:

14 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300