NSN 5945-01-156-5517

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-156-5517

Overall Length:
0.370 inches
Overall Height:
0.275 inches
Overall Width:
0.370 inches
Case Material:
Metal
Environmental Protection:
Hermetic and shock resistant and vibration resistant
Fragility Factor:
Moderately rugged
Contact Material:
Platinum
Contact Surface Treatment:
Gold
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 terminal single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Coil voltage suppression and polarized
Cubic Measure:
0.037 cubic inches
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.004 seconds fixed release time
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
600.0 milliamperes ac resistive load and 1.0 amperes dc resistive load

NSN 5945-01-156-5517

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Precious Material And Location:

Contacts palladium and contact surfaces gold

Precious Material:

Palladium and gold

Terminal Type And Quantity:

8 wire lead all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300