NSN 5945-01-156-7416

Electromagnetic Relay - Page 1 of 2

115.0 volts ac 25 degrees celsius single winding



View Online at https://aerobasegroup.com/nsn/5945-01-156-7416

Overall Length: 2.187 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.750 inches single mounting facility
Overall Height:
3.181 inches
Overall Width:
1.531 inches
Case Material:
Metal
Environmental Protection:
Dustproof Unthreaded Mounting Hole Diameter:
-
0.147 inches single mounting facility
Fragility Factor:
Moderately rugged
Frequency In Hertz:
400.0
Winding Quantity:
1
Purpose For Which Designed:
General Control of the Control of th
Coil Quantity:
Duty Type:
Continuous And Countries Mathedia
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
10.650 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
1.844 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:

NSN 5945-01-156-7416

Electromagnetic Relay - Page 2 of 2



Main	Contact	Load	Current	Rating	At	Maximum	Rated	Voltage:

25.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

220.0 ac

Terminal Type And Quantity:

14 wire lead all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300