## NSN 5945-01-157-4498

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-157-4498

Overall Length:
1.718 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.396 inches single mounting facility and 1.446 inches single mounting facility
Overall Height:
1.435 inches
Overall Width:
0.515 inches
Mounting Slot Width:
0.150 inches single mounting facility
Environmental Protection:
Dustproof and shock resistant and vibration resistant
Frequency In Hertz:
60.0 or 400.0
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 slotted hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Current Rating And Type:
24.0 milliamperes ac single winding
Time Delay:
0.05 seconds fixed release time
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes ac lamp load and 2.0 amperes dc lamp load
Main Contact Maximum Voltage Rating In Volts:
200.0 ac and 28.0 dc
Energizing Element Power Rating:
4.0 watts
Terminal Type And Quantity:
8 wire hook all functions
Shelf Life:

N/a

## NSN 5945-01-157-4498

Electromagnetic Relay - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A03300