

View Online at <https://aerobasegroup.com/nsn/5945-01-161-8122>

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.188 inches single mounting facility

**Overall Height:**

1.059 inches

**Overall Width:**

2.060 inches

**Environmental Protection:**

Dustproof

**Unthreaded Mounting Hole Diameter:**

0.250 inches single mounting facility

**Frequency In Hertz:**

Between 50.0 and 60.0

**Winding Quantity:**

1

**Coil Quantity:**

1

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

3 unthreaded hole single mounting facility

**Mounting Facility Pattern:**

Triangle single mounting facility

**Nonpile-up Main Contact Arrangement:**

1 pole, double throw, one position momentary and 1 pole, single throw, normally open, double make, momentary action

**Time Delay:**

30.00 seconds fixed operate time

**Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:**

2.093 inches single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:**

135.0 volts ac 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

10.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:**

120.0 ac

**Terminal Type And Quantity:**

8 wire hook all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300