NSN 5945-01-162-0768

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-162-0768

Overall Length:

0.787 inches

Overall Height:

0.521 inches

Overall Width:

0.366 inches

Case Material:

Plastic

Environmental Protection:

Shock resistant and vibration resistant

Contact Material:

Silver

Contact Surface Treatment:

Gold

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

1.44 kilohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

Features Provided:

Polarized

Cubic Measure:

0.150 cubic inches

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

0.003 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

250.0 ac and 220.0 dc

Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Gold and silver

NSN 5945-01-162-0768

Electromagnetic Relay - Page 2 of 2



Test Data Document:

98749-8734448 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

8 printed circuit all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300