

View Online at <https://aerobasegroup.com/nsn/5945-01-162-6323>

Overall Length:

1.718 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.446 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.625 inches single mounting facility

Overall Height:

1.660 inches

Overall Width:

1.000 inches

Mounting Slot Width:

0.150 inches single mounting facility

Environmental Protection:

Shock resistant and vibration resistant

Winding Quantity:

2

Coil Quantity:

2

Winding Dc Resistance Rating:

450.0 ohms all windings

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 slotted hole single mounting facility

Features Provided:

Latching contacts and polarized

Cubic Measure:

2.851 cubic inches

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

Time Delay:

0.015 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac motor load and 10.0 amperes dc motor load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Terminal Type And Quantity:

13 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300