

View Online at <https://aerobasegroup.com/nsn/5945-01-163-0171>

**Thread Class:**

2a single mounting facility

**Overall Length:**

10.000 inches

**Overall Height:**

4.630 inches

**Overall Width:**

6.000 inches

**Frequency In Hertz:**

60.0

**Winding Quantity:**

1

**Coil Quantity:**

1

**Duty Type:**

Intermittent

**Mounting Facility Type And Quantity:**

3 threaded hole single mounting facility

**Thread Size:**

0.138 inches single mounting facility

**Mounting Facility Pattern:**

Triangle single mounting facility

**Nonpile-up Main Contact Arrangement:**

1 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action

**Time Delay:**

0.20 seconds fixed operate and release time and 180.00 seconds fixed operate and release time

**Nonpile-up Auxiliary Contact Arrangement:**

1 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action

**Auxiliary Contact Maximum Voltage Rating In Volts:**

115.0 ac

**Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:**

8.000 inches single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:**

115.0 volts ac 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

30.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:**

115.0 ac

**Auxiliary Contact Load Current Rating At Maximum Rated Voltage:**

30.0 amperes ac resistive load

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

2 screw all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300