# NSN 5945-01-163-3028

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-163-3028

### **Overall Length:**

1.414 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches single mounting facility

#### **Overall Height:**

1.898 inches

#### **Overall Width:**

1.123 inches

#### **Mounting Slot Width:**

0.150 inches single mounting facility

#### **Case Material:**

Metal

**Environmental Protection:** 

#### Dustproof

Fragility Factor:

#### Moderately rugged

Winding Quantity:

1

#### **Purpose For Which Designed:**

General

**Coil Quantity:** 

1

#### Winding Dc Resistance Rating:

50.0 ohms single winding

#### **Duty Type:**

Continuous

#### Arc Quenching Method:

Air

# Mounting Facility Type And Quantity:

2 slotted hole single mounting facility

# Storage Type:

General purpose warehouse

### **Cubic Measure:**

3.013 cubic inches

# Mounting Facility Pattern:

In-line single mounting facility

# Nonpile-up Main Contact Arrangement:

2 pole, single throw, normally open, double make, momentary action

# Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac resistive load and 1.0 amperes dc resistive load

# NSN 5945-01-163-3028

Electromagnetic Relay - Page 2 of 2



#### Main Contact Maximum Voltage Rating In Volts:

28.0 ac and 28.0 dc

# Terminal Type And Quantity:

6 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300