# NSN 5945-01-164-8240

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-164-8240

#### **Overall Length:**

4.336 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility

### Center To Center Distance Between Mounting Facilities Parallel To Width:

0.910 inches single mounting facility

#### **Overall Height:**

5.125 inches

**Overall Width:** 

1.586 inches

**Case Material:** 

Metal

**Environmental Protection:** 

Dustproof

**Unthreaded Mounting Hole Diameter:** 

0.088 inches single mounting facility

**Fragility Factor:** 

Moderately rugged

Frequency In Hertz:

400.0

Winding Quantity:

1

Purpose For Which Designed:

General

#### **Coil Quantity:**

1

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

35.244 cubic inches

**Mounting Facility Pattern:** 

Rectangular single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, single throw, normally closed, momentary action and 1 pole, double throw, one position momentary

#### **Operating Voltage Rating And Type At Specificationified Temp:**

120.0 volts ac 25 degrees celsius single winding

# NSN 5945-01-164-8240

Electromagnetic Relay - Page 2 of 2



### Main Contact Load Current Rating At Maximum Rated Voltage:

750.0 milliamperes ac resistive load

### Main Contact Maximum Voltage Rating In Volts:

240.0 ac

## Terminal Type And Quantity:

9 screw all functions

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

#### Fiig:

A03300