# NSN 5945-01-167-4734

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-167-4734

#### **Overall Length:**

- 1.690 inches
- **Overall Height:**
- 0.430 inches

# **Overall Width:**

1.400 inches

#### **Case Material:**

Plastic

#### **Environmental Protection:**

Dustproof

- **Fragility Factor:**
- Moderately rugged

#### **Contact Material:**

Silver

#### Contact Surface Treatment:

Gold flash

### Winding Quantity:

1

## **Purpose For Which Designed:**

General

## **Coil Quantity:**

1

# Winding Dc Resistance Rating:

720.0 ohms single winding and 880.0 ohms single winding

#### **Duty Type:**

Continuous

#### Arc Quenching Method:

Air

# Mounting Facility Type And Quantity:

1 printed circuit terminal single mounting facility

# Storage Type:

General purpose warehouse

# **Cubic Measure:**

1.017 cubic inches

# Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

# Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 28.0 dc

NSN 5945-01-167-4734

Electromagnetic Relay - Page 2 of 2



Energizing Element Power Rating:

1.6 watts

**Precious Material And Location:** 

Contacts silver and contact surfaces gold

Precious Material:

Silver and gold

Terminal Type And Quantity:

1 printed circuit all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300