## NSN 5945-01-168-6488

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-168-6488
Overall Length:
2.625 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.125 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.125 inches single mounting facility
Overall Height:
3.530 inches
Overall Width:
2.625 inches
Unthreaded Mounting Hole Diameter:
0.196 inches single mounting facility
Frequency In Hertz:
60.0
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
8 pole, double throw, one position momentary
Operating Current Rating And Type:
45.0 milliamperes ac single winding
Time Delay:
0.005 seconds fixed release time and 0.018 seconds fixed release time
Operating Voltage Rating And Type At Specificationified Temp:
440.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
15.0 amperes ac resistive load and 1.5 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 125.0 dc
Energizing Element Power Rating:
5.1 watts
Terminal Type And Quantity:
26 tab, solder lug all functions
Shelf Life:

N/a

## NSN 5945-01-168-6488

Electromagnetic Relay - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A03300